

## MATERIAL SAFETY DATA SHEET

### SECTION 1 : Identification of the substance/mixture and of the supplier

**Product name :** Titanium Dioxide

**Manufacturer/Supplier Trade name:**

**Manufacturer/Supplier Article number: Elchemy**

**Recommended uses of the product and uses restrictions on use:**

**Manufacturer Details:**

Supplier: Elchemy

Company Address: A-448, Pocket 2, Sector 8, Rohini, New Delhi, Pin Code: 110085, India

Company Web Site: [www.elchemy.com](http://www.elchemy.com)

Emergency Phone Number: +919867099519 (24 Hrs)

Email Id: [info@elchemy.com](mailto:info@elchemy.com)

### SECTION 2 : Hazards identification

**Classification of the substance or mixture:**



**Health hazard**

- Carcinogenicity, category 2
- Carcinogenicity, category 2
- Hazards Not Otherwise Classified - Combustible Dust

**Signal word :** Warning



+91 98670 99519

+1 (908) 663 8750

[info@elchemy.com](mailto:info@elchemy.com)

[www.elchemy.com](http://www.elchemy.com)



**Mumbai Office**

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



**US Office**

16192 Coastal Highway, Lewes,

DE 19958

## Hazard statements:

- Suspected of causing cancer

## Precautionary statements:

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- IF exposed or concerned: Get medical advice/attention
- Store locked up
- Dispose of contents/container to

## Combustible Dust Hazard:

- May form combustible dust concentrations in air (during processing).

## Other Non-GHS Classification:

WHMIS



D2A

Created by Global Safety Management, Inc. -Tel: 1-813-435-5161 - [www.gsmsds.com](http://www.gsmsds.com)

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.29.2014 Page 2 of 7



+91 98670 99519  
+1 (908) 663 8750  
[info@elchemy.com](mailto:info@elchemy.com)  
[www.elchemy.com](http://www.elchemy.com)



### Mumbai Office

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



### US Office

16192 Coastal Highway, Lewes,  
DE 19958

## Titanium Dioxide

### NFPA/HMIS



- Health: 1
- Flammability: 0
- Physical Hazard: 0
- Personal Protection: X

NFPA SCALE (0-4) HMIS RATINGS (0-4)

## SECTION 3 : Composition/information on ingredients

<b>Ingredients:</b>		
CAS 13463-67-7	Titanium dioxide	100 %
Percentages are by weight		

## SECTION 4 : First aid measures

### Description of first aid measures

- **After inhalation:** Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.
- **After skin contact:** Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.
- **After eye contact:** Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



#### Mumbai Office

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



#### US Office

16192 Coastal Highway, Lewes,  
DE 19958

- **After swallowing:** Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

### **Most important symptoms and effects, both acute and delayed:**

Irritation, Nausea, Headache, Shortness of breath.

### **Indication of any immediate medical attention and special treatment needed:**

If seeking medical attention, provide SDS document to physician.

## **SECTION 5 : Firefighting measures**

### **Extinguishing media**

**Suitable extinguishing agents:** If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

### **For safety reasons unsuitable extinguishing agents:**

### **Special hazards arising from the substance or mixture:**

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### **Advice for firefighters:**

**Protective equipment:** Use NIOSH-approved respiratory protection/breathing apparatus.

Created by Global Safety Management, Inc. -Tel: 1-813-435-5161 - [www.gsmsds.com](http://www.gsmsds.com)

## **Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014 Page 3 of 7



+91 98670 99519  
+1 (908) 663 8750  
[info@elchemy.com](mailto:info@elchemy.com)  
[www.elchemy.com](http://www.elchemy.com)



### **Mumbai Office**

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



### **US Office**

16192 Coastal Highway, Lewes,  
DE 19958

---

## Titanium Dioxide

**Additional information (precautions):** Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

### Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

### Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter).

### Reference to other sections:

## SECTION 7: Handling and storage

### Precautions for safe handling:

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Routine housekeeping



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



#### Mumbai Office

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



#### US Office

16192 Coastal Highway, Lewes,  
DE 19958

should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well-ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

### Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well-sealed containers. Keep container tightly sealed. Store with like hazards.

## SECTION 8: Exposure controls/personal protection

Control Parameters:	13463-67-7, Titanium dioxide, ACGIH TLV: 10, OSHA PEL: 10 OSHA PEL TWA (Total Dust) 15 mg/m <sup>3</sup> (50 mppcf*) ACGIH TLV TWA (inhalable particles) 10 mg/m <sup>3</sup>
---------------------	---



Created by Global Safety Management, Inc. - Tel: 1-813-435-5161 - www.gsmsds.com

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014 Page 4 of 7

Titanium Dioxide	
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits



+91 98670 99519  
 +1 (908) 663 8750  
 info@elchemy.com  
 www.elchemy.com



**Mumbai Office**  
 202-203, Lodha Supremus, End of  
 11th Rd, Off Mahakali Caves Rd,  
 Andheri East, Mumbai,  
 Maharashtra 400069



**US Office**  
 16192 Coastal Highway, Lewes,  
 DE 19958

	(Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.
Protection of skin:	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Eye protection:	Safety glasses with side shields or goggles.
General hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

## SECTION 9: Physical and chemical properties

Appearance (physical state, color):	White solid	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	3.84 4.26
Melting/Freezing point:	1855 C	Solubilities:	



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



### Mumbai Office

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



### US Office

16192 Coastal Highway, Lewes,  
DE 19958

			ND = Not Determined. N/A = Not Applicable. Insoluble in water.
Boiling point/ Boiling range:	2900C	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Not Determined	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: Not Determined			

## SECTION 10: Stability and reactivity

Created by Global Safety Management, Inc. - Tel: 1-813-435-5161 - [www.gsmsds.com](http://www.gsmsds.com)

### Titanium Dioxide

#### Reactivity:

**Chemical stability:** No decomposition if used and stored according to specifications.

#### Possible hazardous reactions:

**Conditions to avoid:** Store away from oxidizing agents, strong acids or bases. Excess heat.

**Incompatible materials:** Strong acids. Strong bases. Metals.

**Hazardous decomposition products:** Carbon oxides (CO, CO2).



+91 98670 99519  
 +1 (908) 663 8750  
[info@elchemy.com](mailto:info@elchemy.com)  
[www.elchemy.com](http://www.elchemy.com)



**Mumbai Office**  
 202-203, Lodha Supremus, End of  
 11th Rd, Off Mahakali Caves Rd,  
 Andheri East, Mumbai,  
 Maharashtra 400069



**US Office**  
 16192 Coastal Highway, Lewes,  
 DE 19958

## SECTION 11: Toxicological information

Acute Toxicity:		
Oral:	>10,000 mg/kg	LD50 Rat
Dermal:	>10,000 mg/kg	LD50 Rabbit

**Chronic Toxicity:** No additional information.

<b>Corrosion Irritation:</b> No additional information.	
Sensitization:	Will not occur
Single Target Organ (STOT):	No additional information.
Numerical Measures:	No additional information.
Carcinogenicity:	IARC: group 2B - Possibly carcinogenic to humans
Mutagenicity:	Hamster Lungs DNA inhibition. Hamster ovary Sister chromatid exchange
Reproductive Toxicity:	No additional information.

## SECTION 12: Ecological information

### Ecotoxicity

- Fish: LC50 - other fish - > 1,000 mg/l - 96 h
- Invertebrates: EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h

**Persistence and degradability:** Readily degradable in the environment.

**Bioaccumulative potential:**

**Mobility in soil:**

**Other adverse effects:**

## SECTION 13: Disposal considerations

**Waste disposal recommendations:**



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



**Mumbai Office**  
202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



**US Office**  
16192 Coastal Highway, Lewes,  
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

## SECTION 14: Transport information

**UN-Number:** Not Dangerous Goods

**UN proper shipping name:** Not Dangerous Goods

**Transport hazard class(es):**

**Packing group:** Not Dangerous Goods

**Environmental hazard:**

**Transport in bulk:**

**Special precautions for user:**

## SECTION 15: Regulatory information

### United States (USA)

- SARA Section 311/312 (Specific toxic chemical listings): Acute, Chronic
- SARA Section 313 (Specific toxic chemical listings): None of the ingredients is listed
- RCRA (hazardous waste code): None of the ingredients is listed
- TSCA (Toxic Substances Control Act): All ingredients are listed.
- CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): None of the ingredients is listed
- Proposition 65 (California):
  - Chemicals known to cause cancer: None of the ingredients is listed
  - Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed
  - Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed
  - Chemicals known to cause developmental toxicity: None of the ingredients is listed



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



### Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



### US Office

16192 Coastal Highway, Lewes,

DE 19958

## Canada

- Canadian Domestic Substances List (DSL): All ingredients are listed.
- Canadian NPRI Ingredient Disclosure list (limit 0.1%): None of the ingredients is listed
- Canadian NPRI Ingredient Disclosure list (limit 1%): None of the ingredients is listed

## SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the

### Titanium Dioxide Powder

The SDS contains all the information required by the Controlled Products Regulations.

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

### GHS Full Text Phrases:

### Abbreviations and acronyms:

- **IMDG:** International Maritime Code for Dangerous Goods
- **PNEC:** Predicted No-Effect Concentration (REACH)
- **CFR:** Code of Federal Regulations (USA)
- **SARA:** Superfund Amendments and Reauthorization Act (USA)
- **RCRA:** Resource Conservation and Recovery Act (USA)
- **TSCA:** Toxic Substances Control Act (USA)
- **NPRI:** National Pollutant Release Inventory (Canada)
- **DOT:** US Department of Transportation
- **IATA:** International Air Transport Association
- **GHS:** Globally Harmonized System of Classification and Labelling of Chemicals
- **ACGIH:** American Conference of Governmental Industrial Hygienists
- **CAS:** Chemical Abstracts Service (division of the American Chemical Society)



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



#### Mumbai Office

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



#### US Office

16192 Coastal Highway, Lewes,  
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur  
India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

- 
- **NFPA:** National Fire Protection Association (USA)
  - **HMIS:** Hazardous Materials Identification System (USA)
  - **WHMIS:** Workplace Hazardous Materials Information System (Canada)
  - **DNEL:** Derived No-Effect Level (REACH)

**Effective date:** 12.29.2014

**Last updated:** 03.19.2015



+91 98670 99519  
+1 (908) 663 8750  
info@elchemy.com  
www.elchemy.com



**Mumbai Office**

202-203, Lodha Supremus, End of  
11th Rd, Off Mahakali Caves Rd,  
Andheri East, Mumbai,  
Maharashtra 400069



**US Office**

16192 Coastal Highway, Lewes,  
DE 19958