



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

MATERIAL SAFETY DATA SHEET

1. Identification	
Product Name	Sulfuric Acid
Cat No. :	A300-212; A300-225LB; A300-500; A300-612GAL; A300-700LB; A300C212; A300C212EA; A300P500; A300S212; A300S212EA; A300S500; A300SI212;
Synonyms	Hydrogen sulfate; Vitriol brown oil; Oil of vitriol
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Supplier: Elchemy

Company Address: A-448, Pocket 2, Sector 8, Rohini, New Delhi, Pin Code: 110085, India

Company Web Site: www.elchemy.com

Emergency Phone Number: +919867099519 (24 Hrs)

Email Id: info@elchemy.com

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

- Corrosive to metals Category 1
- Skin Corrosion/Irritation Category 1 A
- Serious Eye Damage/Eye Irritation Category 1



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

-
- Specific target organ toxicity (single exposure) Category 3
 - Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

- May be corrosive to metals
- Causes severe skin burns and eye damage
- May cause respiratory irritation



Precautionary Statements

Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Use only outdoors or in a well-ventilated area
- Keep only in original container

Response

- Immediately call a POISON CENTER or doctor/physician

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer - <https://www.p65warnings.ca.gov/>

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Sulfuric acid	7664-93-9	90 98
Water	7732-18-5	2 10

4. First-aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
----------------	---



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Page 2/9

Sulfuric Acid

Revision Date: 13-Oct-2023

Immediate medical attention is required.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	CO ₂ , dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	DO NOT USE WATER
Flash Point	Not applicable
Method	No information available
Autoignition Temperature	No information available



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,

DE 19958

Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin, and mucous membranes.

Hazardous Combustion Products

Sulfur oxides. Hydrogen.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

- Health: 3
- Flammability: 0
- Instability: 2
- Physical hazards: W

6. Accidental release measures

Personal Precautions Environmental Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Should not be released into the environment.
---	--

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office
 202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office
 16192 Coastal Highway, Lewes,
 DE 19958

7. Handling and storage

Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage	Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from water or moist air. Corrosives area. Incompatible Materials: Water, Organic materials, Strong acids, Strong bases, Metals, Alcohols, Cyanides, Sulfides.

Page 3/9

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Sulfuric acid	TWA: 0.2 mg/m ³	(Vacated) TWA: 1 mg/m ³ TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³	TWA: 0.2 mg/m ³

Legend

- ACGIH - American Conference of Governmental Industrial Hygienists
- OSHA - Occupational Safety and Health Administration
- NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
----------------------------	---



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office
 202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office
 16192 Coastal Highway, Lewes,
 DE 19958

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Clear, Colorless to brown
Odor	Odorless
Odor Threshold	No information available
pH	0.3 (1N)
Melting Point/Range	10 °C / 50 °F
Boiling Point/Range	290 - 338 °C / 554 - 640.4 °F
Flash Point	Not applicable
Evaporation Rate	Slower than ether
Flammability (solid, gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	< 0.001 mmHg @ 20 °C
Vapor Density	3.38 (Air = 1.0)
Specific Gravity	1.84
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,

DE 19958

Decomposition Temperature	340°C
Viscosity	No information available
Molecular Formula	H ₂ SO ₄
Molecular Weight	98.08

Page 4/9

10. Stability and Reactivity

Reactivity	
Reactive Hazard	Yes
Stability	Reacts violently with water. Hygroscopic.
Conditions to Avoid	Incompatible products. Excess heat. Exposure to moist air or water.
Incompatible Materials	Water, Organic materials, Strong acids, Strong bases, Metals, Alcohols, Cyanides, Sulfides
Hazardous Decomposition Products Sulfur oxides, Hydrogen	
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological Information

Acute Toxicity

Product Information

- Oral LD50: Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
- Dermal LD50: Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
- Vapor LC50: Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office
 202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office
 16192 Coastal Highway, Lewes,
 DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid	2140 mg/kg (Rat)	Not listed	LC50 = 0.375 mg/L (Rat) 4 h
Water	-	-	-

Toxicologically Synergistic Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes severe burns by all exposure routes
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. Exposure to strong inorganic mists containing sulfuric acid may cause cancer by inhalation.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Sulfuric acid	7664-93-9	Group 1	Known	A2	X	A2
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

- Group 1 - Carcinogenic to Humans
- Group 2A - Probably Carcinogenic to Humans
- Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

- Known - Known Carcinogen
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

- A1 - Known Human Carcinogen
- A2 - Suspected Human Carcinogen
- A3 - Animal Carcinogen



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Mexico - Occupational Exposure Limits - Carcinogens

- A1 - Confirmed Human Carcinogen
- A2 - Suspected Human Carcinogen
- A3 - Confirmed Animal Carcinogen
- A4 - Not Classifiable as a Human Carcinogen
- A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects

No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure STOT - repeated exposure

Respiratory system None known

Aspiration hazard

No information available

Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information

No information available

Other Adverse Effects



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

The toxicological properties have not been fully investigated.

12. Ecological Information

Ecotoxicity

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sulfuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	-	EC50: 29 mg/L/24h	-

Persistence and Degradability	No information available
Bioaccumulation/ Accumulation	No information available.
Mobility	No information available.

13. Disposal Considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

DOT

UN-No	UN1830
Proper Shipping Name	Sulfuric acid
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN1830
Proper Shipping Name	SULFURIC ACID



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Hazard Class	8
Packing Group	II
IATA	
UN-No	UN1830
Proper Shipping Name	SULFURIC ACID
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN1830
Proper Shipping Name	SULFURIC ACID
Hazard Class	8

15. Regulatory information

United States of America Inventory

Component	CAS No	No TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Sulfuric acid	7664-93-9	Yes	ACTIVE	-
Water	7732-18-5	Yes	ACTIVE	-

Legend:

- TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) Listed
- '-' Not Listed
- TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable
- TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
 DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Sulfuric acid	7664-93-9	Yes	No -	231-639-5	Yes X	Yes	Yes	Yes	Yes	KE-32570
Water	7732-18-5	Yes X	No -	231-791-2	Yes	Yes X	No	Yes X	Yes X	KE-35400

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Sulfuric acid	7664-93-9	90 98	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA Hazardous Substances	CWA Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sulfuric acid	Yes	1000 lb	-	-

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sulfuric acid	1000 lb	1000 lb

California Proposition 65 This product contains the following Proposition 65 chemicals.

Component CAS No California Prop. 65 Prop 65 NSRL Category



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Sulfuric Acid (Certified ACS Plus) Revision Date 13-Oct-2023

Sulfuric acid 7664-93-9 Carcinogen - Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sulfuric acid	Yes	Yes	Yes	Yes	Yes
Water	-	No -	Yes	No -	No -

U.S. Department of Transportation

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuric acid	7664-93-9	-	Use restricted. See item 75. (see link for restriction details)	-



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,

DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Water	7732-18-5	-	-	-
-------	-----------	---	---	---

REACH links <https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Sulfuric acid	7664-93-9	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?
Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Sulfuric acid	7664-93-9	Not applicable	Not applicable	Not applicable	Annex I Y34
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By	Elchemy
Creation Date	12-Nov-2010
Revision Date	13-Oct-2023



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Print Date	13-Oct-2023
Revision Summary	SDS sections updated. 2.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958