



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

MATERIAL SAFETY DATA SHEET

1. Identification
Product Name
Cat No. :
CAS No Synonyms
Recommended Use Uses advised against

Details of the supplier of the safety data sheet

Supplier: Elchemy

Company Address: A-448, Pocket 2, Sector 8, Rohini, New Delhi, Pin Code: 110085, India

Company Web Site: www.elchemy.com

Emergency Phone Number: +919867099519 (24 Hrs)

Email Id: info@elchemy.com

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

- Flammable liquids Category 3
- Skin Corrosion/Irritation Category 1 A
- Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,

DE 19958

Hazard Statements

Flammable liquid and vapor

Causes severe skin burns and eye damage



Precautionary Statements

Prevention

- Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Keep container tightly closed

Response

- Immediately call a POISON CENTER or doctor/physician

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**
Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur
India Pvt. Ltd., New Delhi, India, 110002
CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**
IEC: AAJCB9425C

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

- In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Acetic acid	64-19-7	>95

4. First-aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves,



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

	including the inside, before re-use. Call a physician immediately.
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration

Page 2/8

5. Fire-fighting measures

Suitable Extinguishing Media	CO2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	40 °C / 104 °F
Method	No information available
Autoignition Temperature	427 °C / 800.6 °F

Explosion Limits

- Upper 19.9 vol %
- Lower 4.0 vol %

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office
 202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office
 16192 Coastal Highway, Lewes,
 DE 19958

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

- Health: 3
- Flammability: 2
- Instability: 0
- Physical hazards: N/A

6. Accidental release measures

Personal Precautions Environmental Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Should not be released into the environment.
--	--

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/ face protection. Use only under a chemical fume hood. Do not breathe mist/ vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage	Corrosives area. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong bases. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
-----------	-----------	----------	------------	------------------



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
 DE 19958

Acetic acid	TWA: 10 ppm STEL: 15 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³	TWA: 10 ppm STEL: 15 ppm
-------------	-----------------------------	---	--	-----------------------------

Legend

- ACGIH - American Conference of Governmental Industrial Hygienists
- OSHA - Occupational Safety and Health Administration
- NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	vinegar-like



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Odor Threshold	No information available
pH	< 2.5 10 g/L aq.sol
Melting Point/Range	16 - 16.5 °C / 60.8 - 61.7 °F
Boiling Point/Range	117 - 118 °C / 242.6 - 244.4 °F
Flash Point	40 °C / 104 °F
Evaporation Rate	0.97 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	19.9 vol %
Lower	4.0 vol %
Vapor Pressure	1.52 kPa @ 20 °C
Vapor Density	2.10
Specific Gravity	1.048
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	427 °C / 800.6 °F
Decomposition Temperature	No information available
Viscosity	1.53 mPa.s @ 25 °C
Molecular Formula	C2 H4 O2

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents, Strong bases, Metals
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO2), Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur.



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958



Registered Name: **BizinBiz Technologies Private Limited**
Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur
India Pvt. Ltd., New Delhi, India, 110002
CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**
IEC: AAJCB9425C

Hazardous Reactions	None under normal processing.
---------------------	-------------------------------

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h

Toxicologically Synergistic Products: No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes severe burns by all exposure routes
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Acetic acid	64-19-7	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects	Not mutagenic in AMES Test					
Reproductive Effects	No information available.					
Developmental Effects	No information available.					
Teratogenicity	No information available.					
STOT - single exposure	None known					
STOT - repeated exposure	None known					
Aspiration hazard	No information available					



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Symptoms / effects, delayed both acute and	Ingestion causes perforation: Symptoms and vomiting severe swelling, of overexposure severe damage to the may be headache, delicate tissue dizziness, and danger of tiredness, nausea
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
-----------	--------	------	-----	-------	------	--------

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min	EC50 = 95 mg/L/24h	

Persistence and Degradability: Miscible with water. Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation: No information available.

Mobility: Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Acetic acid	-0.2



+91 98670 99519

+1 (908) 663 8750

info@elchemy.com

www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of

11th Rd, Off Mahakali Caves Rd,

Andheri East, Mumbai,

Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,

DE 19958

13. Disposal considerations

Waste Disposal Methods: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
TDG	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IATA	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
 DE 19958



Registered Name: **BizinBiz Technologies Private Limited**

Registered Address: 3/8 2nd Floor, Asaf Ali Road, Above Dabur

India Pvt. Ltd., New Delhi, India, 110002

CIN: U24290DL2021PTC382855 | **GST: 07AAJCB9425C1ZR**

IEC: AAJCB9425C

Subsidiary Hazard Class	3
Packing Group	II

15. Regulatory information

United States of America Inventory

Component CAS No TSCA TSCA Inventory notification - TSCA - EPA Regulatory Active-Inactive Flags

Acetic acid

Revision Date: 26-Dec-2021

Acetic acid 64-19-7 ACTIVE

Legend:

- TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) Listed
- '-' Not Listed
- TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetic acid	64-19-7	Yes X	No -	200-580-7	Yes	Yes X	Yes	Yes X	Yes	Yes X

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958

Component	CWA Hazardous Substances	CWA Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	Yes	5000 lb	-	-

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic acid	5000 lb	-

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic acid	Yes	Yes	Yes	No -	Yes X

U.S. Department of Transportation

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2



Acetic acid Revision Date 26-Dec-2021

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetic acid	Use restricted. See item 75. (see link for restriction details)	-	

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetic acid	64-19-7	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	Annex I Y34



+91 98670 99519
 +1 (908) 663 8750
 info@elchemy.com
 www.elchemy.com



Mumbai Office
 202-203, Lodha Supremus, End of
 11th Rd, Off Mahakali Caves Rd,
 Andheri East, Mumbai,
 Maharashtra 400069



US Office
 16192 Coastal Highway, Lewes,
 DE 19958

16. Other information

Prepared By	Elchemy
Creation Date	05-May-2009
Revision Date	26-Dec-2021
Print Date	26-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



+91 98670 99519
+1 (908) 663 8750
info@elchemy.com
www.elchemy.com



Mumbai Office

202-203, Lodha Supremus, End of
11th Rd, Off Mahakali Caves Rd,
Andheri East, Mumbai,
Maharashtra 400069



US Office

16192 Coastal Highway, Lewes,
DE 19958